

# INDEX\*

## RUBBER CHEMISTRY AND TECHNOLOGY

### VOLUME 61, 1988

### AUTHOR INDEX†

- Adachi, Junichi, see Tanaka, Yasuyuki (1) 36
- Ahagon, Asahiro; Kobayashi, Toshio; and Misawa, Makoto, Friction on ice (1) 14
- Akhtar, Sania, Morphology and physical properties of thin films of thermoplastic elastomers from blends of natural rubber and polyethylene (4) 577
- Alesi, A. L., see Perhant, C. G. (abs-S88#018) (4) 721
- Allen, Ralph D., see Cesare, Frank C. (abs-F87#081) (1) 168
- Arnold, Frances, see Watson, Keith R. (abs-F87#007) (1) 157
- Aubrey, Derek W., The nature and action of tackifier resins (review) (3) 448
- Auerbach, R. A., see Warren, Patrick A. (abs-F87#042) (1) 163
- Backhaus, R. A. and Nakayama, F. S., Variation in the molecular weight distribution of rubber from cultivated guayule (1) 78
- Baile, Madhu; Benditt, Kathleen F.; Coble, David G.; and Johns, Robert, Optically transparent silicone adhesives (abs-F87#026) (1) 161
- Baker, C. S. L., Gelling, I. R., and Wallace, I. R., Recent developments in tire-tread compounding (abs-F87#088) (1) 170
- Basu, Dipak Kumar, see Das, Prasant Kumar (5) 760
- Bauer, R. F. and Crossland, A. H., The resolution of binary elastomer blend properties by stress-strain modelling (4) 585
- Begnoche, B. C., Keefe, R. L., and Causa, A. G., correction of Rubber Chem. Tech. 60, 687 (1987); (1) 156
- Benditt, Kathleen F., see Baile, Madhu (abs-F87#026) (1) 161
- Beniska, J., see Sain, M. M. (5) 747
- Besuden, T. W., see Thompson, Corley M. (5) 828
- Beumel, L. L., see Thompson, Corley M. (5) 828
- Bhowmick, Anil, see Sarkar, Partha P. (abs-F87#092) (1) 172
- Blackshaw, G. C., see Wall, D. W. (abs-S88#051) (4) 726
- Blumenthal, Jack L., Redesign and certification of the space shuttle solid rocket motor joints (abs-S88#056) (4) 727
- Bo, Na Peng, see Siswanto, Muliawati G. (2) 269
- Bollen, A. G., see de Groot, J. J. (abs-F87#084) (1) 170
- Books, Jeffrey T., see Miller, Joseph H. (abs-F87#075) (1) 167
- Bowers, S., Simulation of the injection and cure phases of the rubber molding process (abs-F87#052) (1) 164
- Boyle, Frederick P., see Sapper, David I. (abs-S88#058) (4) 728
- Brück, D., Analysis of carbon-black-containing vulcanizates by IR spectrometry and thin-layer chromatography (abs-S88#067) (4) 729
- Bulluck, John W., Thornton, J. S., and Eashing, R. A., Durability of rubber-to-metal bonds in marine environments (abs-S88#035) (4) 724

\* The first issue of Volume 61 contains abstracts of Fall 1987 Meeting Papers not published in full in Rubber Chemistry and Technology; the fourth issue has abstracts from the Spring 1988 Meeting. Fall '87 abstracts are cited (abs-F87#...) which include the paper number. Spring '88 abstracts are shown as (S88#...). Complete copies of these papers can be obtained from Mrs. Ruth Murray, Rubber Division, ACS, The University of Akron, Akron, OH 44325.

† Prepared by Lois W. Brock.

# INDEX\*

## RUBBER CHEMISTRY AND TECHNOLOGY

### VOLUME 61, 1988

### AUTHOR INDEX†

- Adachi, Junichi, see Tanaka, Yasuyuki (1) 36
- Ahagon, Asahiro; Kobayashi, Toshio; and Misawa, Makoto, Friction on ice (1) 14
- Akhtar, Sania, Morphology and physical properties of thin films of thermoplastic elastomers from blends of natural rubber and polyethylene (4) 577
- Alesi, A. L., see Perhant, C. G. (abs-S88#018) (4) 721
- Allen, Ralph D., see Cesare, Frank C. (abs-F87#081) (1) 168
- Arnold, Frances, see Watson, Keith R. (abs-F87#007) (1) 157
- Aubrey, Derek W., The nature and action of tackifier resins (review) (3) 448
- Auerbach, R. A., see Warren, Patrick A. (abs-F87#042) (1) 163
- Backhaus, R. A. and Nakayama, F. S., Variation in the molecular weight distribution of rubber from cultivated guayule (1) 78
- Baile, Madhu; Benditt, Kathleen F.; Coble, David G.; and Johns, Robert, Optically transparent silicone adhesives (abs-F87#026) (1) 161
- Baker, C. S. L., Gelling, I. R., and Wallace, I. R., Recent developments in tire-tread compounding (abs-F87#088) (1) 170
- Basu, Dipak Kumar, see Das, Prasant Kumar (5) 760
- Bauer, R. F. and Crossland, A. H., The resolution of binary elastomer blend properties by stress-strain modelling (4) 585
- Begnoche, B. C., Keefe, R. L., and Causa, A. G., correction of Rubber Chem. Tech. 60, 687 (1987); (1) 156
- Benditt, Kathleen F., see Baile, Madhu (abs-F87#026) (1) 161
- Beniska, J., see Sain, M. M. (5) 747
- Besuden, T. W., see Thompson, Corley M. (5) 828
- Beumel, L. L., see Thompson, Corley M. (5) 828
- Bhowmick, Anil, see Sarkar, Partha P. (abs-F87#092) (1) 172
- Blackshaw, G. C., see Wall, D. W. (abs-S88#051) (4) 726
- Blumenthal, Jack L., Redesign and certification of the space shuttle solid rocket motor joints (abs-S88#056) (4) 727
- Bo, Na Peng, see Siswanto, Muliawati G. (2) 269
- Bollen, A. G., see de Groot, J. J. (abs-F87#084) (1) 170
- Books, Jeffrey T., see Miller, Joseph H. (abs-F87#075) (1) 167
- Bowers, S., Simulation of the injection and cure phases of the rubber molding process (abs-F87#052) (1) 164
- Boyle, Frederick P., see Sapper, David I. (abs-S88#058) (4) 728
- Brück, D., Analysis of carbon-black-containing vulcanizates by IR spectrometry and thin-layer chromatography (abs-S88#067) (4) 729
- Bulluck, John W., Thornton, J. S., and Eashing, R. A., Durability of rubber-to-metal bonds in marine environments (abs-S88#035) (4) 724

\* The first issue of Volume 61 contains abstracts of Fall 1987 Meeting Papers not published in full in Rubber Chemistry and Technology; the fourth issue has abstracts from the Spring 1988 Meeting. Fall '87 abstracts are cited (abs-F87#...) which include the paper number. Spring '88 abstracts are shown as (S88#...). Complete copies of these papers can be obtained from Mrs. Ruth Murray, Rubber Division, ACS, The University of Akron, Akron, OH 44325.

† Prepared by Lois W. Brock.

- Burton, L. C., see Siswanto, Muliawati G. (2) 269
- Byers, J. T., Tultz, J. P., and Hewitt, N. L., Heat-resistant NBR and XNBR: Compounding with precipitated silica (abs-S88#043) (4) 725
- Capelle, Gerd and Hunziker, Peter F., Profile extrusion and vulcanization (abs-F87#069) (1) 165
- Carew, Ron, Perrin, E., Deisler, D., and Goldberg, E. P., New transparent and low-tensile-set biocompatible thermoplastic elastomers based on polysiloxane-modified block copolymers (abs-F87#012) (1) 158
- Cataliff, E. H., see Ytterboe, S. N. (4) 727
- Cesare, Frank C., see Paeglis, Arnis U. (abs-F87#080) (1) 168
- Cesare, Frank C., Allen, Ralph D., and Paeglis, Arnis U., Use of liquid EPDM as a reactive plasticizer (abs-F87#081) (1) 168
- Chen, Yun-Jin; White, James L.; Min, Kyonsuku; Nakajima, Nobuyuki; and Weissert, Frederick C., A rheo-optical study of the influence of additives on crystallization rates in cis-1,4-polyisoprene (2) 324
- Chen, Z. S., Yang, W. P., and Macosko, C. W., Polyurea synthesis and properties as a function of hard-segment content (1) 86
- Cheng, Jing-Jy and Manas-Zloczower, Ica, Hydrodynamic analysis of a Banbury mixer (abs-S88#075) (4) 731
- Clark, J. D., see Schuring, D. J. (4) 669
- Clerger, Joseph B., Performance evaluation of agricultural tires (abs-S88#011) (4) 719
- Cobb, L. A., see Stockdale, Michael K. (abs-F87#090) (1) 171
- Coble, David G., see Baile, Madhu (abs-F87#026) (1) 161
- Colbert, George P., Time uniformity of extrudate melt temperature (abs-S88#076) (4) 732
- Coran, A. Y., Blends of dissimilar rubbers—cure-rate incompatibility (2) 281
- Coran, Aubert Y., see Luecken, John J. (abs-F87#076) (1) 167
- Costa, James C., Light-colored elastomeric roofing (abs-S88#039) (4) 725
- Cotten, George R. and Murphy, Lawrence J., Mixing of carbon black with rubber. VI. Analysis of NR/SBR blends (4) 609
- Crossland, A. H., see Bauer, R. F. (4) 585
- Das, Prasanta Kumar; Datta, Rabindra Nath; and Basu, Dipak Kumar, Cure modification effected by cycloalkylthioamines in the vulcanization of NR accelerated by thiocarbonyl sulfenamides and benzothiazyl disulfide (5) 760
- Datta, Rabindra Nath, see Das, Prasanta Kumar (5) 760
- de Groot, J. J. and Bollen, A. G., Safe peroxides for crosslinking (abs-F87#084) (1) 170
- de la Cruz, M. Olvera and Sanchez, I. C., Microphase separation in block copolymer and related systems (abs-S88#025) (4) 723
- De, Prajna P., see Debnath, S. (4) 555
- Debnath, S., De, Prajna P., and Khastgir, D., Ambient electrical properties of mica-styrene-butadiene rubber composites (4) 555
- Deisler, D., see Carew, Ron (abs-F87#012) (1) 158
- Deng, J. S., see Isayev, A. I. (5) 906
- Derringer, George C., Statistical methods in rubber research and development (review) (3) 377
- Dias, Anthony J., Lee, Kang-Wook, and McCarthy, T. J., Poly(chlorotrifluoroethylene) surface chemistry: introduction of surface-confined functional groups, chemistry of surface hydroxyl functionality (abs-S88#010) (4) 718
- Diaz, A. F., see Rice, S. L. (2) 194
- DiMauro, P. J., see Sezna, John A. (abs-F87#071) (1) 166
- Drake, Ronald E., Sessions, Horace R., and Labriola, John M., New room-temperature crosslinkable liquid elastomer (abs-S88#064) (4) 729
- Dunn, John R., Keller, Dale, and Patterson, Jeff, EPDM compounding for high-temperature aging requirements in automotive hose (abs-F87#078) (1) 167

- Ehrend, Helfried, see Morche, Klaus (abs-F87#022) (1) 160
- Elchinger, B. E., see Galiatsatos, V. (2) 205
- Eldred, Roger J., Effect of oriented platy filler on the fracture mechanism of elastomers (4) 619
- Ellul, M. D. and Emerson, R. J., A new pull-out test for tire cord adhesion—Part I. Hot bonding (2) 293
- Ellul, M. D. and Emerson, R. J., A new pull-out test for tire cord adhesion—Part II. Cold bonding (2) 309
- Emerson, R. J., see Ellul, M. D. (2) 293; (2) 309
- Ettles, C. M. McC. and Shen, Jui Hsieh, The influence of frictional heating on the sliding friction of elastomers and polymers (1) 119
- Evanson, P. P., see Simmons, C. L. (abs-S88#033) (4) 723
- Extrand, C. W. and Gent, A. N., Contact angle and spectroscopic studies of chlorinated and unchlorinated natural rubber surfaces (4) 688
- Farrell, Walter O., Basic hard-rubber compounding (abs-F87#087) (1) 170
- Feuer, Henry, see Rodriguez, Gumersindo (abs-S88#021) (4) 721
- Finney, Robert H. and Kumar, Alok, Development of material constants for nonlinear finite-element analysis (5) 879
- Flaherty, William F., The acquisition and application of data from the mixing cycle of an internal batch mixer (abs-S88#080) (4) 733
- Filippo, Robert V., The use and capabilities of elastomeric seals in advanced flight control actuators (abs-S88#046) (4) 726
- Fukuda, Takeshi, see Fukushima, Motoo (abs-F87#011) (1) 158
- Fukushima, Motoo; Itoh, Kanio; and Fukuda, Takeshi, New high-performance fluoro-silicone rubbers (abs-F87#011) (1) 158
- Funt, J. M., Dynamic testing and reinforcement of rubber (5) 842
- Galiatsatos, V. and Elchinger, B. E., Simulation of the formation of elastomers (2) 205
- Gatti, L. F., Viscoelasticity: a minimization balance of enthalpy and entropy (abs-S88#031) (4) 723
- Gatzka, P., see Vicic, J. C. (abs-S88#022) (4) 721
- Gelling, I. R., see Baker, C. S. L. (abs-F87#088) (1) 170
- Gent, A. N., see Extrand, C. W. (4) 688
- Gent, A. N. and Hwang, Y. -C., Elastic behavior of a rubber layer bonded between two rigid spheres (4) 630
- Gent, A. N. and Hindi, M., Heat build-up and blowout of rubber blocks (5) 892
- George, Daniel E., see Wallace, John G. (abs-F87#091) (1) 171
- Ghosh, S. K., see Sarkar, Partha P. (abs-F87#092) (1) 172
- Goldberg, Alfred, Lesuer, Donald R., and Patt, Jacob, Observations made during stretching, tearing, and failure of NR and SBR loaded with various amounts of carbon black (abs-S88#024) (4) 722
- Goldfinger, Gerald C., see Shih, Peter T. K. (abs-S88#052) (4) 726
- Graf, Hans-Joachim and Tarka, Stanley, Valuation of process control and regulation with the knowledge gained on the Desma 966.053 test machine in accordance with the quality requirements of the automotive industry (abs-F87#049) (1) 163
- Griggs, Edwin L., see Shipp, Paul H. (abs-S88#038) (4) 724
- Grosch, K., Rolling resistance and fatigue life of tires (1) 42
- Gupta, B. R., see Sarkar, Partha P. (abs-F87#092) (1) 172
- Hamed, Gary R., Autohesion and cohesion of uncrosslinked elastomers (review) (3) 548
- Harris, R. E., see Lattimer, R. P. (4) 639
- Hashimoto, Kinro, see Tsuji, Suguru (abs-F87#083) (1) 169
- Hashimoto, Kinro, see Todani, Yoshihiro (abs-F87#082) (1) 169
- Hashimoto, Kinro, see Watanabe, Noboru (abs-S88#003) (4) 717
- Heitman, W. G., see Stamhuis, J. E. (5) 783
- Hertzler, Paul W. and Miller, Evan J., Management information systems for quality control in the rubber industry (abs-S88#082) (4) 733

- Hewitt, N. L., see Byers, J. T. (abs-S88#043) (4) 725
- Hilborn, J. and Ranby, B., Photocrosslinking of EPDM elastomers. A new method for rapid curing of elastomer coatings at room temperature (4) 568
- Hindi, M., see Gent, A. N. (5) 892
- Hirakawa, Hiroshi, See Kawakami, Shinji (abs-S88#016) (4) 720
- Hogenson, P. A., Elastomeric materials in the space shuttle thermal protection system (abs-S88#057) (4) 727
- Holloway, L. R., Application of magnesium hydroxide as a flame retardant and smoke suppressant in elastomers (2) 186
- Horvath, James W., Recent advances in acrylonitrile-butadiene elastomers (abs-S88#006) (4) 718
- Howard, B. C., see Larsen, Lars C. (abs-S88#077) (4) 732
- Hudec, I., see Sain, M. M. (5) 747
- Hull, Dennis E., TFE/P and TFE/P/T elastomers in severe service environments (abs-S88#017) (4) 720
- Hunziker, Peter F., see Capelle, Gerd (abs-F87#069) (1) 165
- Hwang, Y. -C, see Gent, A. N. (4) 630
- Iddon, M. I., The study of the evolution of rubber extruders from 1880, highlighting the major advancements in technology and design, leading to the incorporation of micro-processors (MPs) to effectively control the product being manufactured (abs-F87#064) (1) 165
- Isayev, A. I. and Deng, J. S., Nonisothermal vulcanization of rubber compounds (2) 340
- Isayev, A. I., Sobhanie, M., and Deng, J. S., Two-dimensional simulation of injection molding of rubber compounds (5) 906
- Itoh, Kunio, see Fukushima, Motoo (abs-F87#011) (1) 158
- Johns, Robert, see Baile, Madhu (abs-F87#026) (1) 161
- Kamarchik, Peter, Applications of x-ray analytical methods in filled vulcanized elastomers (abs-S88#071) (4) 730
- Kawakami, Shinji; Misawa, Makoto; and Hirakawa, Hiroshi, The relation between temperature dependence of viscoelasticity and friction due to hysteresis (abs-S88#016) (4) 720
- Kearnan, James E., Insoluble sulfur—the original tack preserver (abs-F87#039) (1) 162
- Kelchner, R. E., see Ytterboe, S. N. (abs-S88#053) (4) 727
- Keller, Dale, see Dunn, John R. (abs-F87#078) (1) 167
- Keller, Robert C., Peroxide curing of ethylene-propylene elastomers (2) 238
- Kelley, F. N., see Yanyo, L. C. (1) 100
- Kempermann, Th., Sulfur-free vulcanization systems for diene rubber (review) (3) 422
- Khashtgir, D., see Debnath, S. (4) 555
- Kluth, Peter, The newest technology in tire building (abs-F87#023) (1) 160
- Knobloch, G., Raue, D., and Patel, A., The influence of storage conditions on elastomer processing stability (abs-F87#021) (1) 159
- Kobayashi, Toshio, see Ahagon, Asahiro (1) 14
- Komatsu, Kelsuke, see Todani, Yoshihiro (abs-F87#082) (1) 169
- Kramer, William A., Barrel cooling for rubber extruders (abs-F87#070) (1) 166
- Kumar, Alok, see Finney, Robert H. (5) 879
- Kyker, G. Steve, See Watanabe, Noboru (abs-S88#003) (4) 717
- Labriola, John M., see Drake, Ronald E. (abs-S88#064) (4) 729
- Laghi, Aldo A., Commercial and technical developments of liquid injection molding of silicone elastomers (abs-F87#025) (1) 161
- Larsen, Lars C., Howard, B. C., and Sherrett, J. M., Improved injection molding with processing agents (abs-S88#077) (4) 732
- Lattimer, R. P., Harris, R. E., Rhee, C. K., and Schulten, H.-R., Identification of organic components in uncured rubber compounds using mass spectrometry (4) 639

- Lattimer, Robert P., Tandem mass spectrometry (MS/MS) for analysis of additives in a rubber vulcanizate (4) 658
- Lee, Kang-Wook, see Dias, Anthony J. (abs-S88#010) (4) 719
- Lee, Kenneth W., Evaluation of copelitized carbon-black/silica in tire tread formulations (abs-S88#013) (4) 719
- Lesuer, Donald R., see Goldberg, Alfred (abs-S88#024) (4) 722
- Loo, C. T., Porter, M., and Tidd, B. K., Sulfur vulcanization with two plateaus—Formation of an inhibitor during vulcanization (2) 173
- Luecken, John J. and Coran, Aubert Y., Guidelines for new accelerator developments (abs-F87#076) (1) 167
- Mackenzie, Burton T., Marefat, Ken, and Zachariah, David, The use of EPDM systems in an oil-rich environment (abs-F87#079) (1) 168
- Macosko, C. W., see Chen, Z. S. (1) 86
- Manas-Zloczower, Ica, see Cheng, Jing-Jy (abs-S88#075) (4) 731
- Marefat, Ken, see Mackenzie, Burton T. (abs-F87#079) (1) 168
- Mark, Hans, Herman Francis Mark, Charles Goodyear Medalist—1988, Biography (3) 668
- Mark, Herman F., Elastomers—Past, present, and future (3) G73
- Marks, John D. and Moody, Dale R., Advances in the automated process for lining vessels (abs-S88#078) (4) 732
- Martin, J. W., Liquid propellant management in space vehicles (a review) (abs-S88#059) (4) 728
- Matheson, Donald R., Abrasion resistance of carboxylated nitrile at elevated temperatures and related subjects (abs-S88#005) (4) 718
- Matthews, D. N., see Paeglis, Arnis U. (abs-F87#080) (1) 168
- Meinecke, Eberhard A. and Taftaf, Monsour I., Effect of carbon black on the mechanical properties of elastomers (review) (3) 534
- Mihalick, James M., Silicone-modified polyimides for wire and cable applications (abs-F87#013) (1) 159
- Miller, Evan J., see Hertzler, Paul W. (abs-S88#082) (4) 733
- Miller, Joseph H. and Books, Jeffrey T., Faster cure cycles for FZ elastomers (abs-F87#075) (1) 167
- Miller, R. A., see Nakajima, N. (2) 362
- Min, Kyonsuku, see Chen, Yun-Jin (2) 324
- Min, Kyonsuku, see Montes, Sergio (4) 698
- Minor, J. C., see Rice, S. L. (2) 194
- Misawa, Makoto, see Ahagon, Asahiro (1) 14
- Misawa, Makoto, see Kawakami, Shinji (abs-S88#016) (4) 720
- Montes, Sergio; White, James L.; Nakajima, Nobuyuki; Weissert, Frederick C.; and Min, Kyonsuku, An experimental study of flow and stress fields in a pressurized Mooney viscometer (4) 698
- Moody, Dale R., see Marks, John D. (abs-S88#078) (4) 732
- Morche, Klaus and Ehrend, Helfried, Tire compounds and process aids (abs-F87#022) (1) 160
- Morman, Kenneth N., Jr. and Pan, Tsung Y., Application of finite-element analysis in the design of automotive elastomeric components (review) (3) 503
- Murphy, Lawrence J., see Cotton, George R. (4) 699
- Murray, T. J., see Perhant, C. G. (abs-S88#018) (4) 721
- Nakajima, N. and Scolbo, J. J., Jr., Strain amplification of elastomers filled with carbon black in tensile deformation (1) 137
- Nakajima, N. and Miller, R. A., Processing ease and rubber-carbon-black interaction (2) 362
- Nakajima, Nobuyuki, see Chen, Yun-Jin (2) 324
- Nakajima, Nobuyuki, see Montes, Sergio (4) 698
- Nakajima, Nobuyuki, Strain-rate amplification of carbon-black-filled rubber compounds (5) 938
- Nakayama, F. S., see Backhaus, R. A. (1) 78

- Nedea, Constantin**, Improving of rubber compounding using butyl reclaim (abs-S88#065) (4) 729
- Neubacher, Pa** agtopo H., see Siswanto, Muliawati G. (2) 269
- Nossal, Ralph**, A novel dynamic light-scattering method to determine the modulus of gels (2) 265
- Nunogaki, Kazuki**, see Tanaka, Yasuyuki (1) 36
- O'Shea, F. X.**, see Paeglis, A. U. (2) 223
- Oba, Toshiyuki**, see Sugawara, Hiroshi (abs-S88#042) (4) 725
- Ogunniyi, D. S.**, A novel system for crosslinking fluoroelastomers (5) 736
- Ohishi, Tetsu**, see Tsuji, Suguru (abs-F87#083) (1) 169
- Ortoli, David M.**, Automation in the tire testing laboratory (abs-F87#046) (1) 163
- Osborne, D. J.**, see Stamhuis, J. E. (5) 783
- Oyama, Motofumi**, see Todani, Yoshihiro (abs-F87#082) (1) 169
- Paeglis, A. U. and O'Shea, F. X.**, Thermoplastic elastomer compounds from sulfonated EPDM ionomers (2) 223
- Paeglis, Arnis U.**, see Cesare, Frank C. (abs-F87#081) (1) 168
- Paeglis, Arnis U., Cesare, Frank C., and Matthews, D. N.**, Liquid EPDM elastomers (abs-F87#080) (1) 168
- Page, Matthew A.**, see Wallace, John G. (abs-F87#091) (1) 171
- Pan, Tsung Y.**, see Norman, Kenneth N., Jr. (3) 503
- Parangtopo**, see Siswanto, Muliawati G. (2) 269
- Paris, W. W.**, A comparison of semiefficient vulcanization systems in natural rubber (abs-F87#072) (1) 166
- Patel, A.**, see Knobloch, G. (abs-F87#021) (1) 159
- Patt, Jacob**, see Goldberg, Alfred (abs-S88#024) (4) 722
- Patterson, Jeff**, see Dunn, John R. (abs-F87#078) (1) 167
- Pawlowski, H.**, see Sezna, John A. (abs-F87#071) (1) 166
- Perhantla, C. G., Murray, T. J., Mead, J. L., Shuford, R. J., and Alesi, A. L.**, Field observation on rubber tank tracks (abs-S88#018) (4) 721
- Perrin, E.**, see Carew, Ron (abs-F87#012) (1) 158
- Perry, P. A.**, see Rice, S. L. (2) 194
- Peters, L., Vicle, J. C., and Pugh, T. L.**, Optimizing carbon black loading for explosive decompression resistance of fluoroelastomers for oil field service (abs-S88#002) (4) 717
- Polmanteer, Keith E.**, Silicone rubber, its development and technological progress (review) (3) 470
- Porter, L. E.**, Rubber microscopy (abs-S88#070) (4) 730
- Porter, M.**, see .. T. (2) 173
- Pugh, T. L.**, see Peters, L. A. (abs-S88#002) (4) 717
- Rahalkar, Ramesh R. and Tang, Henry**, Prediction of zero-shear viscosity of linear polybutadienes from the crossover point using Doi-Edwards theory (5) 812
- Ranby, B.**, see Hilborn, J. (4) 568
- Rangarajan, V.**, see van Ooij, W. J. (4) 594
- Raue, D.**, see Knobloch, G. (abs-F87#021) (1) 159
- Rende, A. V., Jr.**, see Warren, Patrick A. (abs-F87#042) (1) 163
- Rhee, C. K.**, see Lattimer, R. P. (4) 639
- Rice, S. L., Diaz, A. F., Minor, J. C., and Perry, P. A.**, Absorption of silicone oil by a dimethylsiloxane elastomer (2) 194
- Rodriguez, Gumersindo; Touchet, Paul; and Feuer, Henry**, Improved rubber compound for tracked vehicles (abs-S88#021) (4) 721
- Roland, C. M.**, Interactions in a miscible polymer blend (5) 866
- Rosner, P.**, see Sain, M. M. (5) 747
- Rushing, R. A.**, see Bulluck, John W. (abs-S88#035) (4) 724
- Saam, John C.**, see Ziemelis, Maris J. (abs-F87#027) (1) 162
- Sain, M. M., Hudec, I., Beniska, J. and Rosner, P.**, Structure-property relationship in rubber-modified propylene-ethylene block copolymer blends (5) 747



- Salverson, David R., Silicone materials for thermal management (abs-S88#060) (4) 728
- Sanchez, I. C., see de la Cruz, M. Olvera (abs-S88#025) (4) 723
- Sapper, David I. and Boyle, Frederick P., Controlled vibration damping with elastomeric devices (abs-S88#058) (4) 728
- Sarkar, Partha P., Ghosh, S. K., Gupta, B. R., and Bhowmick, Anil K., Studies on adhesion between rubber and fabric and rubber and rubber in heat-resistant conveyor belt (abs-F87#092) (1) 172
- Schreuder-Stacer, H. L., Peel strength of composite layered joints (5) 794
- Schulten, H. -R., see Lattimer, R. P. (4) 639
- Schuring, D. J. and Clark, J. D., Load, speed, and pressure effects on passenger car tire rolling-loss distribution (4) 669
- Scobbo, J. J., Jr., see Nakajima, N. (1) 137
- Sessions, Horace R., see Drake, Ronald E. (abs-S88#064) (4) 729
- Sezna, John A., DiMauro, P. J., and Pawlowaki, H., Improved cure testing (abs-F87#071) (1) 166
- Shen, Jui Hsieh, see Ettles, C. M. McC. (1) 119
- Sherritt, J. M., see Larsen, Lars C. (abs-S88#077) (4) 732
- Shih, Peter T. K. and Goldfinger, Gerald C., Filler dispersion in elastomers studies with imaging techniques (abs-S88#052) (4) 726
- Shipp, Paul H. and Griggs, Edwin L., Impact of color on the thermal performance of roofs (abs-S88#038) (4) 724
- Shuford, R. J., see Perhantis, C. G. (abs-S88#018) (4) 721
- Simmons, C. L. and Evanson, P. P., Effect of the additives in domestic water systems on rubber vulcanizates (abs-S88#033) (4) 723
- Siswanto, Mullawati G.; Bo, Na Peng; Parangtopo; Neubacher, H.; and Burton, L. C., Electrical conductivity and ESR studies of carbon-black-loaded natural rubber (2) 269
- Sobhanie, M., see Isayev, A. I. (5) 906
- Sommer, J. G., Stabilized curative blends for rubber (1) 149
- Stanhuis, J. E., Heitman, W. G., van Ballegooljen, H., and Osborne, D. J., Monte Carlo simulation of styrene-butadiene elastomers (5) 783
- Stockdale, Michael K., Cobb, L. A., and Wilson, Warren A., PVC/NBR alloys *versus* thermoplastic elastomers (abs-F87#090) (1) 171
- Su, L., see Vici, J. C. (abs-S88#022) (4) 721
- Sugarawa, Hiroshi and Oba, Toshiyuki, Piston seal for modern automotive braking system (abs-S88#042) (4) 725
- Taftaf, Monsour I., see Meinecke, Eberhard A. (review) (3) 534
- Tam, Coretta, see Wallace, John G. (abs-F87#091) (1) 171
- Tamura, Mitsuhiro, see Tsuji, Suguru (abs-F87#083) (1) 169
- Tan, E. H., see Wong, H. H. (abs-S88#074) (4) 731
- Tanaka, Yasuyuki; Nunogaki, Kazuki; and Adachi, Junichi, Determination of sequence distribution of styrene units in cured SBR (1) 36
- Tang, Henry, see Rahalkar, Ramesh R. (5) 812
- Tarka, Stanley, see Graf, Hans-Joachim (abs-F87#049) (1) 163
- Thompson, Corley M., Besuden, T. W., and Beumel, L. L., (5) 828
- Thornton, J. S., see Bulluck, John W. (abs-S88#035) (4) 724
- Tidd, B. K., see Loo, C. T. (2) 173
- Todani, Yoshihiro; Oyama, Motofumi; Watanabe, Noboru; Komatsu, Keisuke; and Hashimoto, Kinro, Fluid resistance of highly saturated nitrile elastomer (abs-F87#082) (1) 169
- Toub, Mel, New developments in high-strength silicone rubber (abs-F87#010) (1) 157
- Touchet, P., see Vici, J. C. (abs-S88#022) (4) 721
- Touchet, Paul, see Rodriguez, Gumersindo (abs-S88#021) (4) 721
- Tsuji, Suguru; Ohishi, Tetsu; Tamura, Mitsuhiro; and Hashimoto, Kinro, New NBR's Nipol DN200 and DN300 having well-balanced processability and properties (abs-F87#083) (1) 169
- Tultz, J. P., see Byers, J. T. (abs-S88#043) (4) 725



- Turco, Stephen F.**, On-line laser profile measurement for computer integrated manufacturing (CIM) automation of tire tread extrusion lines (abs-F87#024) (1) 161
- Udagawa, Y.**, Changes in the fine structure of rubber vulcanizates fatigued by repeated force (1) 1
- van Ballegooljen, H.**, see Stamhuis, J. E. (5) 783
- van Drumpt, J. D.**, Peroxide crosslinking of rubbers: a strength/weakness analysis *versus* sulfur vulcanization (abs-F87#055) (1) 164
- van Hastenberg, C.**, see Veltman, B. (1) 64
- van Oolj, W. J. and Rangarajan, V.**, Interfaces between natural rubber and metals. Part I. A study of the interaction between squalene and steel using XPS and SIMS (4) 594
- Veltman, B. and van Hastenberg, C.**, From vulcanization model to process control (1) 64
- Vicic, J. C.**, see Peters, L. A. (abs-S88#002) (4) 717
- Vicic, J. C., Su, L., Gatz, P., and Touchet, P.**, Dynamic mechanical analysis of standard and improved tank track pad elastomers (abs-S88#022) (4) 721
- Wall, D. W. and Blackshaw, G. C.**, Dynamic mechanical properties of highly saturated nitrile elastomers (abs-S88#051) (4) 726
- Wallace, I. R.**, see Baker, C. S. L. (abs-F87#088) (1) 170
- Willace, John G.; Tam, Coretta; George, Daniel E.; and Page, Matthew A.**, Thermoplastic elastomers for dual rubber/plastics processors (abs-F87#091) (1) 171
- Warren, Patrick A., Rende, A. V., Jr., and Auerbach, R. A.**, Adducts of quinone dioxime and difunctional isocyanates as curatives for natural rubber and their effect on bondability (abs-F87#042) (1) 163
- Watanabe, Noboru**, see Todani, Yoshihiro (abs-F87#082) (1) 169
- Watanabe, Noboru; Kyker, G. Steve; and Hashimoto, Kinro**, Highly saturated nitrile elastomer oil well packers—extrusion resistance compounding study (abs-S88#003) (4) 717
- Watson, Keith R. and Frances, Arnold**, Elastomer reinforcement with short Kevlar aramid fiber for wear applications (abs-F87#007) (1) 157
- Weissert, Frederick C.**, see Chen, Yun-Jin (2) 324
- Weissert, Frederick C.**, see Montes, Sergio (4) 698
- White, James L.**, see Chen, Yun-Jin (2) 324
- White, James L.**, see Montes, Sergio (4) 698
- Wilson, Warren A.**, see Stockdale, Michael K. (abs-F87#090) (1) 171
- Wolf, Craig A.**, Computer integrated manufacturing applied to internal mixers (abs-S88#083) (4) 734
- Wolff, Wilhelm**, VP-406—A precipitated silica for reinforcement of silicone rubber (abs-F87#029) (1) 162
- Wong, H. H. and Tan, E. H.**, Adjustment for test bias (abs-S88#074) (4) 731
- Yang, W. P.**, see Chen, Z. S. (1) 86
- Yanyo, L. C. and Kelley, F. N.**, Effect of network chain length on the tearing energy master curves of poly(dimethyldiphenyl siloxane) (1) 100
- Ytterboe, S. N., Cataiff, E. H., and Kelchner, R. E.**, Long-term sealing ability of butyl O-rings (abs-S88#053) (4) 727
- Zachariah, David**, see Mackenzie, Burton T. (abs-F87#079) (1) 168
- Zeyen, Richard L. III**, Thermal analysis: Practical applications (abs-S88#072) (4) 730
- Ziemelis, Maria J. and Saam, John C.**, Sequence distribution in poly(dimethylsiloxane-co-methylvinyl siloxanes) (abs-F87#027) (1) 162

## SUBJECT INDEX\*

- Abrasion resistance, of XNBR, at elevated temperatures (abs-S88#005) (4) 718
- Acceleration, of NR cure, by thiocarbamyl sulfenamides (5) 760
- Accelerators, guidelines for new (abs-F87#076) (1) 167
- Additives, in water, their effect on rubber vulcanizates (abs-S88#033) (4) 723
- Additives, rubber, analyzing by tandem mass spectrometry (4) 658
- Adhesion, of NR to metal (4) 594
- Adhesion, of rubber/fabric and rubber/rubber, in belting (abs-F37#092) (1) 172
- Adhesion, of tire cord, pull-out test for (2) 293
- Adhesives, silicone, optically transparent (abs-F87#026) (1) 161
- Adhesives, tackifiers for (review) (3) 448
- Aging, high-temperature, compounding of EPDM for in hose (abs-F87#078) (1) 167
- Alloys, of PVC and NBR, comparison of with thermoplastic elastomers (abs-F87#090) (1) 171
- Analysis, of NR/SBR blends (4) 609
- Analysis, of uncured rubber by mass spectrometry (4) 639
- Aramid fibers, short, for reinforcement of elastomers (abs-F87#007) (1) 157
- Autohesion (review) (3) 548
- Automation, in lining of vessels (abs-S88#078) (4) 732
- Automation, of tire testing in the laboratory (abs-F87#046) (1) 163
- Banbury mixer, hydrodynamic analysis of (abs-S88#075) (4) 731
- Benzene crystallization, for studying fatigue in SBR (1) 1
- Bias, adjusting for in tests of rubber products (abs-S88#074) (4) 731
- Biocompatible block copolymers, polysiloxane-modified (abs-F87#012) (1) 158
- Bioregulators, for GR, effect of on molecular weight distribution (1) 78
- Black-filled elastomers, strain amplification of in tensile deformation (1) 137
- Black-filled NR, electrical conductivity of (2) 269
- Blends, binary elastomer, resolution of by stress-strain (4) 585
- Blends, of curatives, stabilized, for rubber (1) 149
- Blends, of dissimilar rubbers, cure-rate incompatibility of (2) 281
- Blends, of miscible polymers, interactions in (5) 866
- Blends, of NR and PE, for thin films (4) 577
- Blends, of NR/SBR, distribution of carbon black in (4) 609
- Block copolymers, microphase separation in (abs-S88#025) (4) 723
- Bloom, preventing with insoluble sulfur (abs-F87#039) (1) 162
- Blowout, in rubber blocks (5) 892
- Bondability, of NR, as affected by quinone dioxime curatives (abs-F87#042) (1) 163
- Book Reviews
- "Developments in Rubber Technology—4," A. Whelan and K. S. Lee, Eds. (4) G116
- "Elastomers and Rubber Technology," Robert E. Singler and Catherine A. Byrne, Eds. (4) G116
- "Ring-opening polymerization," K. J. Ivin and T. Saegussa, Eds. (1) G30
- Braking system, automotive, piston seal for (abs-S88#042) (4) 725
- Carbon black, effect of on mechanical properties of elastomers (review) (3) 534
- Carbon black, mixing of rubber blends and analysis of NR/SBR blends (4) 609
- Carbon black loading, of fluoroelastomers for oil fields (abs-S88#002) (4) 717
- Carbon black/silica, copelletized, evaluation of in tires (abs-S88#013) (4) 719
- Carbon-black-containing vulcanizates, analysis of with IR spectrometry (abs-S88#067) (4) 729
- Carbon-black-filled rubber, strain-rate amplification of (5) 938
- Chain length, of networks in silicone elastomers, effect of on tearing energy (1) 100
- CIIR O-rings, long-term sealing of (abs-S88#053) (4) 727

\* Prepared by Lois W. Brock

- CIIR reclaim, for improving rubber compounding (abs-S88#065) (4) 729
- Coatings, EPDM, curing of by photocrosslinking (4) 568
- Color, as it affects thermal properties of roofing (abs-S88#039) (4) 725
- Color, effect of on thermal performance of roofs (abs-S88#038) (4) 724
- Composite layered joints, peel strength of (5) 794
- Compounding, of hard rubber (abs-F87#087) (1) 170
- Compounding, of rubber, using CIIR reclaim (abs-S88#065) (4) 729
- Compounding, of tire tread rubber for high performance (abs-F87#088) (1) 170
- Compression, of rubber between rigid spheres (4) 630
- Computer integrated manufacturing, for internal mixers (abs-S88#083) (4) 734
- Computer-integrated manufacturing automation, of tread extrusion lines (abs-F87#024) (1) 161
- Contact angle, for study of chlorinated NR surfaces (4) 688
- Conveyor belt, heat-resistant, adhesion of rubber in (abs-F87#092) (1) 172
- Cooling, barrel, for rubber extruders (abs-F87#070) (1) 166
- Correction of RUBBER CHEM. TECHNOL. 60, 689 (1987); (1) 156
- Coupling, mechanical, of blend phases (4) 585
- Crack propagation, as failure mechanism in tires (1) 42
- Crosslinking, of fluoroeiastomers (5) 736
- Crosslinking, with peroxides, safety considerations in (abs-F87#084) (1) 170
- Crystallization rates, of IR, effect of additives on (2) 324
- Curatives, for rubber, stabilized blends of (1) 149
- Cure testing, improved, by oscillating-disk rheometer (abs-F87#071) (1) 166
- Cure, of NR, modified by cycloalkylthioamines (5) 760
- Cure rate, of blends of dissimilar rubbers, incompatibility of (2) 281
- Curing, of poly(fluoroalkoxyphosphazene) elastomers (abs-F87#075) (1) 167
- Cycloalkylthioamines, in vulcanization of NR (5) 760
- Desma 966.053 test machine, for evaluating process control in automotive industry (abs-F87#049) (1) 163
- Diene rubber, sulfur-free vulcanization of (review) (3) 422
- Dimethylsiloxane elastomer, absorption of silicone oil b (2) 194
- Dispersion, of fillers in elastomers, imaging techniques for studying (abs-S88#052) (4) 726
- Doi-Edwards theory, for zero-shear viscosity of PB (5) 812
- Dynamic mechanical properties, of highly saturated nitrile elastomers (abs-S88#051) (4) 726
- Dynamic properties, of elastomers, as affected by carbon black (review) (3) 534
- Dynamic testing, of rubber (5) 842
- Elastic behavior, of rubber bonded between rigid spheres (4) 630
- Elastomer, liquid, room-temperature curable (abs-S88#064) (4) 729
- Elastomers (Charles Goodyear Medal Address) (3) 673
- Electrical conductivity, of black-filled NR (2) 269
- Electrical properties, of mica-SBR composites (4) 555
- Engine mounts, elastomeric, finite-element analysis of (review) (3) 503
- Enthalpy and entropy, balanced, in viscoelasticity (abs-S88#031) (4) 723
- EPDM elastomers, rapid curing of by photocrosslinking (4) 568
- EPDM ionomers, sulfonated, as thermoplastic elastomers (2) 223
- EPDM, for automotive hose, compounding of (abs-F87#078) (1) 167
- EPDM, for use in oil-rich environment (abs-F87#079) (1) 168
- EPDM, functionalized, for improving blends with high-diene rubbers (2) 281
- EPDM, liquid, as reactive plasticizers (abs-F87#080-F87#081) (1) 168
- EPM, peroxide curing of (2) 238
- EPM, rubber-modified, structure-property relations in (5) 747
- EPM, with dicumyl peroxide cure, in vulcanization model (1) 64
- ESR, for studying electrical conductivity of black-filled NR (2) 269
- EV, efficient vulcanization system, with two plateaus (2) 173
- EVA polymers, magnesium hydroxide as flame retardant in (2) 186
- Experimental design, in rubber research (review) (3) 377
- Explosive decompression resistance, of oil-field elastomer (abs-S88#002) (4) 717
- Expulsion devices, elastomeric, for liquid propellants (abs-S88#059) (4) 728

- Extrudates, time uniformity of melt temperature (abs-S88#076) (4) 732
- Extruders, barrel cooling for (abs-F87#070) (1) 166
- Extruders, evolution of since 1880 (abs-F87#064) (1) 165
- Extruders, for profiles (abs-F87#069) (1) 165
- Extrusion, of tire tread, on-line laser profile measurement in (abs-F87#024) (1) 161
- Extrusion resistance, of nitrile elastomers for oil wells (abs-S88#003) (4) 717
- Failure, of NR and SBR (abs-S88#024) (4) 722
- Fatigue, of SBR, as it affects fine structure (1) 1
- Fatigue, of tires, effect of service conditions on (1) 42
- FEM, for studying elastic behavior of bonded rubber (4) 630
- FIDAP, for analysis of Banbury mixers (abs-S88#075) (4) 731
- Filled vulcanizates, x-ray analysis of (abs-S88#071) (4) 730
- Filler, effects of on fracture mechanism of elastomers (4) 619
- Fillers, imaging techniques for studying dispersion of in elastomers (abs-S88#052) (4) 726
- Films, thin elastomeric, from blends of NR and PE (4) 577
- Fine structure, of SBR, as changed by repeated force (1) 1
- Finite difference model, for determining rolling loss in passenger tires (4) 669
- Finite-element analysis, for designing elastomeric automotive parts (review) (3) 503
- Finite-element analysis, nonlinear, material constants for (5) 879
- Flame retardant action, of magnesium hydroxide in EVA polymers (2) 186
- Flight control actuators, elastomeric seals for (abs-S88#046) (4) 726
- Flow and stress fields, studied by pressurized Mooney viscometer (4) 698
- Fluoroelastomers, crosslinking of (5) 736
- Fluoroelastomers, for oil fields, optimizing black loading (abs-S88#002) (4) 717
- Fluorosilicone rubbers, high-performance (abs-F87#011) (1) 158
- Fracture mechanism, of elastomers with oriented filler (4) 619
- Friction, due to hysteresis (abs-S88#016) (4) 720
- Friction, of rubber on ice (1) 14
- Frictional heating, of elastomers, as related to sliding friction (1) 119
- FZ, poly(fluoroalkoxyphosphazene) elastomer, curing of (abs-F87#075) (1) 167
- Gels, determining modulus of by dynamic light scattering (2) 255
- Gordon Research Conference on Elastomers, July 10-15, 1988 (2) G40
- GPC, with ozonolysis, for sequence distribution of styrene (1) 36
- GR, cultivated, variation in molecular weight distribution (1) 78
- Green strength, of rubber (review) (3) 548
- Hard rubber, compounding of (abs-F87#087) (1) 170
- Harms, Englebert G., recipient of Fernley H. Banbury Award, 1988 (3) G59
- Heat build-up, in rubber blocks (5) 892
- Heat-resistant NBR and XNBR (abs-S88#043) (4) 725
- Heat-transfer model, for elastomeric extrudates (abs-S88#076) (4) 732
- Hose, automotive, compounding of EPDM for (abs-F87#078) (1) 167
- HSN (highly saturated nitrile rubber), fluid resistance of (abs-F87#082) (1) 169
- Hydrodynamic analysis, of Banbury mixers (abs-S88#075) (4) 731
- Ice, relation of temperature to friction of rubber on (1) 14
- Imaging techniques, for studying dispersion of fillers in elastomers (abs-S88#052) (4) 726
- Infrared thermographic imaging, for observing tank tracks (abs-S88#018) (4) 721
- Injection molding, of rubber, two-dimensional simulation (5) 906
- Injection molding, use of processing agents in (abs-S88#077) (4) 732
- Insoluble sulfur, for preserving tack (abs-F87#039) (1) 162
- Interfaces, between NR and metals (4) 594
- International Rubber Science Hall of Fame, 1987 (Leslie Ronald George Treloar) (2) G42
- Ionic elastomers, from sulfonated EPDM (2) 223
- Ionolyzer, ionic plasticizer for EPDM ionomers (2) 223

- IR spectrometry, for analysis of carbon-black-containing vulcanizates (abs-S88#067) (4) 729
- IR, effect of additives on crystallization of, (2) 324
- Isocyanates, difunctional, for curing NR (abs-F87#042) (1) 163
- Joints, for space shuttle solid rocket motor, redesign of (abs-S88#056) (4) 727
- Laser profile measurement, on-line, for CIM automation of tire tread extrusion (abs-F87#024) (1) 161
- Light scattering, dynamic, for determining modulus of gels (2) 255
- Lining, of vessels, automated process for (abs-S88#078) (4) 732
- Liquid elastomer, curable at room temperature (abs-S88#064) (4) 729
- Liquid injection molding, of silicone elastomers (abs-F87#025) (1) 161
- Liquid propellant, management of in space vehicles (abs-S88#059) (4) 728
- Liquid silicone rubber (review) (3) 470
- Magnesium hydroxide, as flame retardant for EVA polymers (2) 186
- Management information systems, for quality control in the rubber industry (abs-S88#082) (4) 733
- Mandelkern, Leo, recipient of George Stanford Whitby Award, 1988 (3) G58
- Marine environments, as they affect rubber-to-metal bonds (abs-S88#035) (4) 724
- Mark, Herman Francis, Charles Goodyear Medalist—1988, biog. (3) G68
- Mass spectrometry, for identifying components in rubber (4) 639
- Mass spectrometry, tandem, for analyzing rubber additives (4) 658
- Material constants, for nonlinear finite-element analysis (5) 879
- Mica-SBR composites, electrical properties of (4) 555
- Microphase separation, in block copolymers (abs-S88#025) (4) 723
- Microprocessors, for control of extrusion (abs-F87#064) (1) 165
- Microscopy, for study of rubber (abs-S88#070) (4) 730
- Microwave lines, for vulcanization of profiles (abs-F87#069) (1) 165
- Mixer, internal batch, acquiring data from mixing cycle of (abs-S88#080) (4) 733
- Mixers, internal, computer integrated manufacturing for (abs-S88#083) (4) 734
- Mixing cycle, acquisition of data from (abs-S88#080) (4) 733
- Mold pressure, as it affects resistivity of rubber (5) 828
- Molding, of rubber, simulation of injection/cure phase of (abs-F87#052) (1) 164
- Molecular weight distribution, of cultivated GR (1) 78
- Monte Carlo simulation, of styrene-butadiene elastomers (5) 783
- Mooney viscometer, pressurized, for study of flow and stress fields (4) 698
- NBR, alloy of with PVC, compared with thermoplastic elastomers (abs-F87#090) (1) 171
- NBR, heat-resistant (abs-S88#043) (4) 725
- NBR, highly saturated, fluid resistance of (abs-F87#082) (1) 169
- NBR, recent advances in elastomers from (abs-S88#006) (4) 718
- NBR, with well-balanced processability and properties (abs-F87#083) (1) 169
- Networks, simulation of formation of in elastomers (2) 205
- Nipol DN200 and DN300, NBR with well-balanced properties (abs-F87#083) (1) 169
- Nitrile elastomer, for oil well packing, extrusion resistance study of (abs-S88#003) (4) 717
- Nitrile elastomers, highly saturated, dynamic mechanical properties of (abs-S88#051) (4) 726
- NR, black-filled, stretching, tearing, and failure of (abs-S88#024) (4) 722
- NR, blends of PE and, for making thin films (4) 577
- NR, chlorinated, studied by contact angle and spectroscopy (4) 688
- O-rings, CIIR, long-term sealing of (abs-S88#053) (4) 727
- Oil swell, of EPDM (abs-F87#079) (1) 168
- Oil well packing, extrusion resistance of nitrile elastomers for (abs-S88#003) (4) 717
- Orientation, of fillers, effect of on fracture in rubber (4) 619
- Ozonolysis, with GPC, for sequence distribution of styreneunits in cured SBR (1) 36

- PE, blends of NR and, for making thin films (4) 577
- Peel strength, of composite layered joints (5) 794
- Performance evaluation, of agricultural tires (abs-S88#011) (4) 719
- Peroxide crosslinking, of rubber, compared with sulfur (abs-F87#055) (1) 164
- Peroxides, for curing EPM (2) 238
- Peroxides, for safe crosslinking (abs-F87#084) (1) 170
- Pett, Robert A., biog. sketch (1) G2
- Phase interaction, in blends (4) 585
- Phase separation, of hard and soft segments in polyureas (1) 86
- Photocrosslinking, for rapid curing of EPDM elastomers (4) 568
- Plasticizers, liquid EPDM elastomers as (abs-F87#080) (1) 168
- Plasticizers, reactive, from liquid EPDM (abs-F87#081) (1) 168
- Poly(chlorotrifluoroethylene), surface chemistry of (abs-S88#010) (4) 718
- Poly(dimethyldiphenyl) siloxane, tearing energy of (1) 100
- Poly(dimethylsiloxane-co-methylvinyl siloxanes), sequence distribution in (abs-F87#027) (1) 162
- Poly(ethyl acrylate) rubber, interaction with carbon black (2) 362
- Poly(fluoroalkoxyphosphazene) elastomers, faster cures for (abs-F87#075) (1) 167
- Poly- $\alpha$ -pinene, as a tackifier (review) (3) 448
- Polydimethylsiloxane, radiation-induced crosslinking in (2) 205
- Polyethylene, radiation-induced random crosslinking in (2) 205
- Polyimides, silicone-modified, for wire and cable (abs-F87#013) (1) 159
- Polyisoprenes, efficient vulcanization of, two plateaus in (2) 173
- Polymer blends, interaction in miscible (5) 866
- Polyurea, hard-segment content of as related to properties (1) 86
- Process control, and quality requirements in the automotive industry (abs-F87#049) (1) 163
- Process control, optimum, through vulcanization model (1) 64
- Processability, and rubber-carbon-black interaction (2) 362
- Processing agents, for injection molded rubber compounds (abs-S88#077) (4) 732
- Processing aids, for tire compounds (abs-F87#022) (1) 160
- Processing stability, of elastomers, as influenced by storage conditions (abs-F87#021) (1) 159
- Profile extrusion, and vulcanization (abs-F87#069) (1) 165
- Pull-out test, for tire cord adhesion (2) 293; (2) 309
- PVC, alloy of with NBR, compared with thermoplastic elastomers (abs-F87#090) (1) 171
- Quality control, of rubber, management information system for (abs-S88#082) (4) 733
- Quality control, of rubber, using statistical methods (review) (3) 377
- Quality requirements, in the automotive industry (abs-F87#049) (1) 163
- Quality testing, of rubber products, to adjust for bias (abs-S88#074) (4) 731
- Quinone dioxime adducts, for curing NR (abs-F87#042) (1) 163
- Reinforcement, of elastomers with short aramid fibers (abs-F87#007) (1) 157
- Reinforcement, of rubber (5) 842
- Resistivity, of rubber as a function of mold pressure (5) 828
- Rheo-optical study, of crystallization rates in IR (2) 324
- Rheometer, oscillating-disk, for improved cure testing (abs-F87#071) (1) 166
- RIM, with amine-terminated-polypropylene oxide-based polyureas (1) 86
- Rocket materials, using silicone elastomers (abs-S88#060) (4) 728
- Rolling loss, of car tires, effect of load, speed and pressure on (4) 669
- Rolling resistance, of tires, effect of service conditions on (1) 42
- Roofing material, effect of color on thermal performance of (abs-S88#038) (4) 724
- Roofing material, elastomeric, light-colored (abs-S88#039) (4) 725
- Room-temperature-vulcanized silicone (review) (3) 470
- Rubber Division, ACS, Best Paper Awards, Fall 1987 (4) G102
- Rubber Division, ACS, Best Paper Awards, Spring 1987 (1) G15
- Rubber Division, ACS, Bylaws (1) G18
- Rubber Division, ACS, Charles Goodyear Medalist—1988 (3) G68
- Rubber Division, ACS, Fernley H. Banbury Award to Englebert G. Harms, 1988 (3) G59



- Rubber Division, ACS, George Stafford  
Whitby Award, 1988, to Leo Mandel-  
kern (3) G68
- Rubber Division, ACS, Guide for Authors  
(3) G60
- Rubber Division, ACS, Information in pre-  
vious issues (2) G34
- Rubber Division, ACS, Library and Infor-  
mation Services (1) G16
- Rubber Division, ACS, Melvin Mooney  
Award, 1988, to John G. Sommer (3)  
G57
- Rubber Division, ACS, Policy on technical  
papers at Rubber Division meetings (1)  
G29
- Rubber Division, ACS, Program for 1988  
Fall Meeting (4) G104
- Rubber Division, ACS, Program for 1988  
Spring meeting (1) G4
- Rubber Division, ACS, Statistics on papers  
received, accepted and published in  
RCT, 1988 (4) G112
- Rubber vulcanizates, as affected by addi-  
tives in water (abs-S88#033) (4) 723
- Rubber, uncured, identification of organic  
compounds in (4) 639
- Rubber-to-metal bonds, in marine environ-  
ments (abs-S88#035) (4) 724
- Rubber/fabric adhesion, in conveyor belt  
(abs-F87#092) (1) 172
- Rubber/plastic processors, thermoplastic  
elastomers for (abs-F87#091) (1) 171
- Rubber/rubber adhesion, in conveyor belt  
(abs-F87#092) (1) 172
- SBR vulcanizates, fatigued by repeated  
force (1) 1
- SBR, black-filled, stretching, tearing, and  
failure of (abs-S88#024) (4) 722
- SBR, sequence distribution of styrene units  
in (1) 36
- SBR-mica composites, electrical properties  
of (4) 555
- Scorch resistance, of rubber as influenced  
by blend of curatives (1) 149
- Seal, piston, for automotive braking system  
(abs-S88#042) (4) 725
- Sealing, long-term, of butyl O-rings (abs-  
S88#053) (4) 727
- Seals, elastomeric, for advanced flight con-  
trol actuators (abs-S88#046) (4) 726
- Sequence distribution, in poly(dimethyl-  
siloxane-co-methyl vinyl siloxanes)  
(abs-F87#027) (1) 162
- Sequence distribution, of styrene units in  
SBR (1) 36
- Shear modulus, as determined by dynamic  
light scattering (2) 255
- Silica, precipitated, for reinforcing silicone  
rubber (abs- (abs-F87#029) (1) 162
- Silica, precipitated, for use in heat-resistant  
NBR, XNBR (abs-S88#043) (4) 725
- Silicone elastomers, liquid injection molding  
of (abs-F87#025) (1) 161
- Silicone oil, absorption of by dimethylsil-  
oxane elastomer (2) 194
- Silicone rubber (review) (3) 470
- Silicone rubber compounding systems (re-  
view) (3) 470
- Silicone rubber, effect of chain length on  
tearing energy master curves (1) 100
- Silicone rubber, high-strength (abs-  
F87#010) (1) 157
- Silicone rubber, reinforcing with precipi-  
tated silica (abs-F87#029) (1) 162
- Silicone-modified polyimides, for wire and  
cable (abs-F87#013) (1) 159
- Silicones, for thermal management, review  
of uses of (abs-S88#060) (4) 728
- Silicones, optically transparent adhesives  
from (abs-F87#026) (1) 161
- SIMS, for studying interfaces between NR  
and metal (4) 594
- Simulation, of formation of elastomers (2)  
205
- Simulation, of injection and cure phase of  
rubber molding (abs-F87#052) (1) 164
- Simulation, two-dimensional, of injection  
molding rubber (5) 906
- Skid resistance, of rubber on ice (1) 14
- Sliding friction, of elastomers, as related to  
frictional heating (1) 119
- Smoke suppressant, for EVA polymers,  
magnesium hydroxide as (2) 186
- Sommer, John G., recipient of Melvin Moo-  
ney Distinguished Technology Award,  
1988 (3) G57
- Space shuttle, elastomeric thermal protec-  
tion materials for (abs-S88#057) (4)  
727
- Space shuttle solid rocket motor joints,  
redesign of (abs-S88#056) (4) 727
- Space vehicles, management of liquid prop-  
ellant in (abs-S88#059) (4) 728
- Spectroscopy, for study of chlorinated NR  
surfaces (4) 688
- Star copolymers, microphase separation in  
(abs-S88#025) (4) 723
- Statistical methods, in rubber research (re-  
view) (3) 377
- Storage conditions, influence of on process-  
ing stability of elastomers (abs-  
F87#021) (1) 159



- Strain amplification, of black-filled elastomers, in tensile deformation (1) 137
- Strain-rate amplification, of black-filled rubber (5) 938
- Stress distribution, in rubber bonded between spheres (4) 630
- Stress-strain modelling, of blend phases (4) 585
- Stretching, of NR and SBR (abs-S88#024) (4) 722
- Structure-property relations, in rubber-modified EPM (5) 747
- Styrene units, distribution of in SBR (1) 36
- Styrene-butadiene elastomers, Monte Carlo simulation of (5) 783
- Styrene-ethylene/butylene-styrene block polymer, modified with polysiloxanes (abs-F87#012) (1) 158
- Sulfur vulcanization, of rubber, compared with peroxide (abs-F87#055) (1) 164
- Surface chemistry, of poly(chlorotrifluoroethylene) (abs-S88#010) (4) 718
- Surface hydroxyl functionality, in chlorotrifluoroethylene (abs-S88#010) (4) 718
- Suspension bushings, elastomeric, finite-element study of (review) (3) 503
- Tack (review) (3) 448; 548
- Tack, preserving with insoluble sulfur (abs-F87#039) (1) 162
- Tackifier resins (review) (3) 448
- Tank pads, improved rubber compound for (abs-S88#021) (4) 721
- Tank track pads, dynamic mechanical analysis of elastomers (abs-S88#022) (4) 721
- Tank tracks, field observation of (abs-S88#018) (4) 721
- Tearing energy master curves, of silicone rubbers, effect of chain length on (1) 100
- Tearing, of NR and SBR (abs-S88#024) (4) 722
- Temperature dependence, of viscoelasticity, and friction (abs-S88#016) (4) 720
- Tensile deformation, in studying strain amplification of elastomers (1) 137
- TFE/P elastomers, in severe service environments (abs-S88#017) (4) 720
- TFE/P/T elastomers, in severe service environments (abs-S88#017) (4) 720
- Thermal analysis, of rubber products (abs-S88#072) (4) 730
- Thermal control model, for sliding friction of elastomers (1) 119
- Thermal properties, of light-colored roofing material (abs-S88#039) (4) 725
- Thermal properties, of roofing as affected by color (abs-S88#038) (4) 724
- Thermal protection material, elastomeric, for space shuttle (abs-S88#057) (4) 727
- Thermoplastic elastomers, compared with PVC/NBR alloys (abs-F87#090) (1) 171
- Thermoplastic elastomers, for rubber/plastic processors (abs-F87#091) (1) 171
- Thermoplastic elastomers, from EPDM ionomers (2) 223
- Thin-layer chromatography, for analysis of carbon-black-containing vulcanizates (abs-S88#067) (4) 729
- Time uniformity, of extrudate melt temperature (abs-S88#076) (4) 732
- Tire building, new technology for (abs-F87#023) (1) 160
- Tire compounds, fatty acid processing aids for (abs-F87#022) (1) 160
- Tire cord adhesion, pull-out test for (2) 293
- Tire cord adhesion, pull-out test for (2) 309
- Tire testing, automation of in the laboratory (abs-F87#046) (1) 163
- Tire tread, compounding of for high-performance (abs-F87#088) (1) 170
- Tire tread extrusion, CIM automation of with laser profile measurement (abs-F87#024) (1) 161
- Tire treads, evaluation of carbon black/silica in (abs-S88#013) (4) 719
- Tires, agricultural, performance evaluation of (abs-S88#011) (4) 719
- Tires, passenger, effect of load, speed, and pressure on rolling-loss of (4) 669
- Tires, rolling resistance and fatigue of, effect of service conditions on (1) 42
- Tolerances, in new technology for tire building (abs-F87#023) (1) 160
- Traction, of rubber on ice, as related to dynamic properties (1) 14
- Transfer, of carbon black in blends of NR/SBR (4) 609
- Transparent polysiloxane-modified block copolymers (abs-F87#012) (1) 158
- Treloar, Leslie Ronald George, biog., International Rubber Science Hall of Fame, 1987 (2) G42
- Vibration damping, controlled, with elastomeric devices (abs-S88#058) (4) 728
- Viscoelasticity, as related to enthalpy and entropy (abs-S88#031) (4) 723
- Viscoelasticity, studied by finite element analysis (review) (3) 503
- Viscoelasticity, temperature dependence of (abs-S88#016) (4) 720

- Viscometer, pressurized Mooney, for studying flow and stress fields (4) 698
- Viscosity, internal, determining by light scattering (2) 255
- VP-406, for reinforcement of silicone rubber (abs-F87#029) (1) 162
- Vulcanizates, filled, X-ray analysis of (abs-S88#071) (4) 730
- Vulcanization model, for optimum process control (1) 64
- Vulcanization, nonisothermal, of rubber (2) 340
- Vulcanization, of rubber, comparison of sulfur and peroxi (abs-F87#055) (1) 164
- Vulcanization, semiefficient, for NR (abs-F87#072) (1) 166
- Vulcanization, sulfur, with two plateaus (2) 173
- Vulcanization, of diene rubber without sulfur (review) (3) 422
- Wear, of elastomers reinforced with short aramid fibers (abs-F87#007) (1) 157
- Wire and cable, silicone-modified polyimides for (abs-F87#013) (1) 159
- Wound Elastomeric Insulator (WEP), for lining vessels (abs-S88#078) (4) 732
- X-12, experimental compound for tank pads (abs-S88#021) (4) 721
- X-12, experimental compound for tank track pads (abs-S88#022) (4) 721
- X-ray analysis, of filled vulcanized elastomers (abs-S88#071) (4) 730
- XNBR, abrasion resistance of at elevated temperatures (abs-S88#005) (4) 718
- XNBR, heat-resistant (abs-S88#043) (4) 725
- XPS, for studying interfaces between NR and metals (4) 594
- Zero-shear viscosity, of PB, using Doi-Edwards theory (5) 812